# INDEX TO VOLUME 25

New names and epithets are printed in **boldface.** Taxa mentioned only incidentally are not indexed.


*Acronema* **johrianum** Babu (Apiaceae): A new species from the Himalayas of Nepal, by C. R. BABU 159–161

ADAMS, ROBERT P., Reevaluation of the biological status of *Juniperus deppeana* var. *sperryi*. 284–289

The affinities of *Lithophytum*: A transfer from Solanaceae to Verbenaceae, by WILLIAM G. D'ARCY and RICHARD C. KEATING 213–225

AGOSTINI, GETULIO, A new Venezuelan species of *Cordia* sect. *Gerascanthus* (Boraginaceae). 174–176

*Aletris lutea* Small, *Aletris obovata* Nash, and natural hybrids (Liliaceae), Biosystematics of 294–303

Alismataceae: Taxonomy of seven species of *Sagittaria* from eastern North America 64–74

Ambrosieae (of Compositae): The genus *Hymenoclea* 243–256

Amentaceae (See also: Amentiferae), 315 et seq.

Amentiferae: Chemical constituents and systematics of 385–394; Early ideas of 316–333; Engler's views of 321 ff.; Fossil forms of 334–355; Fossil pollen of 336 ff.; as an artificial group 395–405; Source of the name 329; Systematic disposition of families of 403–404; Vegetative anatomy and morphology of 356–370; What happened to the?—A symposium 315

The "Amentiferae" or Hamamelidae as an artificial group: A summary statement, by ROBERT F. THORNE 395–405

Amentiferous concept, Development of the 316–333

Amentiferous fruits, Patterns in the development of 371–384

AMERICAN FERN SOCIETY foray in Wyoming and Colorado—Notice 209

Anatomy and morphology: of Amentiferae, Vegetative 356–370; of *Lithophytum* (Verbenaceae) 213–225

ANDERSON, WILLIAM R.—recipient of the 1973 Jesse M. Greenman Award 406

Apiaceae: *Acronema* **johrianum** Babu: A new species from the Himalayas of Nepal 159–161

*Aquatic and Wetland Plants of the Southwestern United States*, by D. S. and H. B. CORRELL, correction to 76

Archival materials at the HUNT INSTITUTE FOR BOTANICAL DOCUMENTATION, Notice concerning 312–313

*Arrabidaea* **costaricensis** 231, **pubescens** 239

ARROYO, MARY T. KALIN (See also: IRWIN, H. S. and MARY T. KALIN ARROYO), A taximetric study of infraspecific variation in autogamous *Limnanthes floccosa* (Limnanthaceae) 177–191

Asteraceae (see also: Compositae), New species of Mexican 192–199

AUSTRALIAN SYSTEMATIC BOTANY SOCIETY—Notice concerning 314

BABU, C. R., *Acronema* **johrianum** Babu (Apiaceae): A new species from the Himalayas of Nepal. 159–161

Barbeyaceae, Vegetative anatomy and morphology of 356

BARLOW, B. A. and D. WIENS, The classification of the generic segregates of *Phrygilanthus* (= *Notanthera*) of the Loranthaceae. 26–39

The Bases of Angiosperm Phylogeny—a symposium 211

Bataceae: Chemotaxonomy of 385; Vegetative anatomy and morphology of 357

Betulaceae: Chemotaxonomy of 386; Vegetative anatomy and morphology of 357

*Bidens forbesii* and six species in the Hawaiian and the Marquesas Islands, Genetic relationships between 10–14

Bignoniaceae, Generic delimitations of Central American 226–242

Biological status of *Juniperus deppeana* var. *sperryi* Correll, Reevaluation of the 284–289

Biosystematics of *Aletris lutea* Small, *Aletris obovata* Nash, and natural hybrids (Liliaceae), by VICTORIA I. SULLIVAN 294–303

A biosystematic study of *Coreopsis saxicola* (Compositae), by EDWIN B. SMITH 200–208

BISHOP, L. EARL and DERRAL HERBST, A new *Hibiscadelphus* (Malvaceae) from Kauai. 290–293

Boraginaceae: A new Venezuelan species of *Cordia* sect. *Gerascanthus* 174–176

Brazil with a key to the Brazilian species, New endemic species of *Harpalyce* (Leguminosae: Brongniartieae) from south-central 21–25

BROWN, R. C., See: PINKAVA, D. J., M. G. MCLEOD, L. A. MCGILL, and R. C. BROWN

*Byrsonima* (Malpighiaceae) from Panama, A new species of 304–306; **dressleri** 304

Cactaceae: Chromosome numbers in 2–9

Cacti of western North America—II, Chromosome numbers in some 2–9

Cannabaceae, Chemotaxonomy of 389

Casuarinaceae: Chemotaxonomy of 388; Vegetative anatomy and morphology of 357

**Cecarria** 34, **obtusifolia** 34

Central American Bignoniaceae, Generic delimitations of 226–242

Central America, The fleshy-fruited Galiums (Rubiaceae) of Mexico and 15–20

Chemical and morphological evolution in *Parmelia* sect. *Hypotrachyna*: Product of ancient hybridization?, by CHICITA F. CULBERSON and MASON E. HALE, JR. 162–173

Chemical constituents and systematics of Amentiferae, by JAMES A. MEARS 385–394

Chemotaxonomy: of *Aesculus* (Hippocastanaceae) 57–63; of Amentiferae 385–394; of *Juniperus deppeana* (Cupressaceae) 284–289; of *Parmelia* sect. *Hypotrachyna* (Lichenes) 162–173; of *Picradeniopsis* (Compositae) 40–56; of *Vernonia* sect. *Eremosis* (Compositae) 86–115

Chromatographic studies on the Red Horse-

# INDEX TO VOLUME 25

New names and epithets are printed in **boldface.** Taxa mentioned only incidentally are not indexed.


*Acronema* **johrianum** Babu (Apiaceae): A new species from the Himalayas of Nepal, by C. R. BABU 159–161

ADAMS, ROBERT P., Reevaluation of the biological status of *Juniperus deppeana* var. *sperryi*. 284–289

The affinities of *Lithophytum*: A transfer from Solanaceae to Verbenaceae, by WILLIAM G. D'ARCY and RICHARD C. KEATING 213–225

AGOSTINI, GETULIO, A new Venezuelan species of *Cordia* sect. *Gerascanthus* (Boraginaceae). 174–176

*Aletris lutea* Small, *Aletris obovata* Nash, and natural hybrids (Liliaceae), Biosystematics of 294–303

Alismataceae: Taxonomy of seven species of *Sagittaria* from eastern North America 64–74

Ambrosieae (of Compositae): The genus *Hymenoclea* 243–256

Amentaceae (See also: Amentiferae), 315 et seq.

Amentiferae: Chemical constituents and systematics of 385–394; Early ideas of 316–333; Engler's views of 321 ff.; Fossil forms of 334–355; Fossil pollen of 336 ff.; as an artificial group 395–405; Source of the name 329; Systematic disposition of families of 403–404; Vegetative anatomy and morphology of 356–370; What happened to the?—A symposium 315

The "Amentiferae" or Hamamelidae as an artificial group: A summary statement, by ROBERT F. THORNE 395–405

Amentiferous concept, Development of the 316–333

Amentiferous fruits, Patterns in the development of 371–384

AMERICAN FERN SOCIETY foray in Wyoming and Colorado—Notice 209

Anatomy and morphology: of Amentiferae, Vegetative 356–370; of *Lithophytum* (Verbenaceae) 213–225

ANDERSON, WILLIAM R.—recipient of the 1973 Jesse M. Greenman Award 406

Apiaceae: *Acronema* **johrianum** Babu: A new species from the Himalayas of Nepal 159–161

*Aquatic and Wetland Plants of the Southwestern United States*, by D. S. and H. B. CORRELL, correction to 76

Archival materials at the HUNT INSTITUTE FOR BOTANICAL DOCUMENTATION, Notice concerning 312–313

*Arrabidaea* **costaricensis** 231, **pubescens** 239

ARROYO, MARY T. KALIN (See also: IRWIN, H. S. and MARY T. KALIN ARROYO), A taximetric study of infraspecific variation in autogamous *Limnanthes floccosa* (Limnanthaceae) 177–191

Asteraceae (see also: Compositae), New species of Mexican 192–199

AUSTRALIAN SYSTEMATIC BOTANY SOCIETY—Notice concerning 314

BABU, C. R., *Acronema* **johrianum** Babu (Apiaceae): A new species from the Himalayas of Nepal. 159–161

Barbeyaceae, Vegetative anatomy and morphology of 356

BARLOW, B. A. and D. WIENS, The classification of the generic segregates of *Phrygilanthus* (= *Notanthera*) of the Loranthaceae. 26–39

The Bases of Angiosperm Phylogeny—a symposium 211

Bataceae: Chemotaxonomy of 385; Vegetative anatomy and morphology of 357

Betulaceae: Chemotaxonomy of 386; Vegetative anatomy and morphology of 357

*Bidens forbesii* and six species in the Hawaiian and the Marquesas Islands, Genetic relationships between 10–14

Bignoniaceae, Generic delimitations of Central American 226–242

Biological status of *Juniperus deppeana* var. *sperryi* Correll, Reevaluation of the 284–289

Biosystematics of *Aletris lutea* Small, *Aletris obovata* Nash, and natural hybrids (Liliaceae), by VICTORIA I. SULLIVAN 294–303

A biosystematic study of *Coreopsis saxicola* (Compositae), by EDWIN B. SMITH 200–208

BISHOP, L. EARL and DERRAL HERBST, A new *Hibiscadelphus* (Malvaceae) from Kauai. 290–293

Boraginaceae: A new Venezuelan species of *Cordia* sect. *Gerascanthus* 174–176

Brazil with a key to the Brazilian species, New endemic species of *Harpalyce* (Leguminosae: Brongniartieae) from south-central 21–25

BROWN, R. C., See: PINKAVA, D. J., M. G. MCLEOD, L. A. MCGILL, and R. C. BROWN

*Byrsonima* (Malpighiaceae) from Panama, A new species of 304–306; **dressleri** 304

Cactaceae: Chromosome numbers in 2–9

Cacti of western North America—II, Chromosome numbers in some 2–9

Cannabaceae, Chemotaxonomy of 389

Casuarinaceae: Chemotaxonomy of 388; Vegetative anatomy and morphology of 357

**Cecarria** 34, **obtusifolia** 34

Central American Bignoniaceae, Generic delimitations of 226–242

Central America, The fleshy-fruited Galiums (Rubiaceae) of Mexico and 15–20

Chemical and morphological evolution in *Parmelia* sect. *Hypotrachyna*: Product of ancient hybridization?, by CHICITA F. CULBERSON and MASON E. HALE, JR. 162–173

Chemical constituents and systematics of Amentiferae, by JAMES A. MEARS 385–394

Chemotaxonomy: of *Aesculus* (Hippocastanaceae) 57–63; of Amentiferae 385–394; of *Juniperus deppeana* (Cupressaceae) 284–289; of *Parmelia* sect. *Hypotrachyna* (Lichenes) 162–173; of *Picradeniopsis* (Compositae) 40–56; of *Vernonia* sect. *Eremosis* (Compositae) 86–115

Chromatographic studies on the Red Horse-

Chestnut (*Aesculus* × *carnea*) and its putative parent species, by JU-YING HSIAO and HUI-LIN LI 57–63
Chromosome numbers in some cacti of western North America—II, by D. J. PINKAVA, M. G. MCLEOD, L. A. MCGILL, and R. C. BROWN 2–9
Chromosome numbers: of *Aletris* spp. (Liliaceae) 294–303; of *Cordylanthus* subgen. *Hemistegia* (Scrophulariaceae) 135–158; of *Coreopsis saxicola* (Compositae) 200–208; of genera of Loranthaceae 28 et seq.; of *Limnanthes floccosa* (Limnanthaceae) 177–191; of *Picradeniopsis* (Compositae) 40–56; of some cacti of western North America (Cactaceae) 2–9; of *Vernonia* sect. *Eremosis* (Compositae) 86–115
CHUANG, T. I. and L. R. HECKARD, Taxonomy of *Cordylanthus* subgenus *Hemistegia* (Scrophulariaceae). 135–158
The classification of the generic segregates of *Phrygilanthus* (= *Notanthera*) of the Loranthaceae, by B. A. BARLOW and D. WIENS 26–39
Collectors of Mexican plants, Notice for 311
Committee for Recommendations in Desirable Procedures in Herbarium Practice and Ethics, II, Report of the 307–310
Compositae (See also: Asteraceae): A biosystematic study of *Coreopsis saxicola* 200–208; **Correllia:** a new monotypic genus from southern Chihuahua, Mexico 116–118; Genetic relationships between *Bidens forbesii* and six species in the Hawaiian and the Marquesas Islands 10–14; Hybridization and evolution in *Picradeniopsis* 40–56; Revision of *Vernonia* sect. *Eremosis* in North America 86–115; The genus *Hymenoclea* 243–256
*Cordia* sect. *Gerascanthus* (Boraginaceae), A new Venezuelan species of 174–176, **thaisiana** 176
*Cordylanthus* subgenus *Hemistegia* (Scrophulariaceae), Taxonomy of 135–158
*Coreopsis saxicola* (Compositae), A biosystematic study of 200–208, *grandiflora* var. **saxicola** 207
Correction 313
CORRELL, DONOVAN S. and HELEN B., *Aquatic and Wetland Plants of Southwestern United States*, correction to 76
**Correllia** (Compositae: Peritylinae): A new monotypic genus from southern Chihuahua, Mexico, by A. MICHAEL POWELL 116–118, **montana** 116
Cuba, A revision of the West Indian species of *Lepanthes* (Orchidaceae). III. 257–283
CULBERSON, CHICITA F. and MASON E. HALE, JR., Chemical and morphological evolution in *Parmelia* sect. *Hypothrachyna*: Product of ancient hybridization? 162–173
Cupressaceae: Reevaluation of the biological status of *Juniperus deppeana* var. *sperryi* Correll 284–289
*Cuspidaria* **floribunda** 232, **weberbaueri** 233
*Cydista aequinoctialis* var. **hirtella** 231
D'ARCY, WILLIAM G. and RICHARD C. KEATING, The affinities of *Lithophytum*: A transfer from Solanaceae to Verbenaceae. 213–225
DEMPSTER, LAURAMAY T., The fleshy-fruited Galiums (Rubiaceae) of Mexico and Central America. 15–20; Note on the type of *Rubia acuminata* Mart. & Gal. 313
Design for the Flora North America program, The information system 119–134
Development of the amentiferous concept, by WILLIAM LOUIS STERN 316–333
*Distictis* **buccinatoria** 237
Editorial Policy Statement 76
ELLISON, WILLIAM L., See: STUESSY, TOD F., ROBERT S. IRVING, and WILLIAM L. ELLISON
*Engelhardia* vs. *Engelhardtia* (Juglandaceae) 379 (footnote)
Engler's views of Amentiferae 323 ff.
Evolution: in *Parmelia* sect. *Hypotrachyna*: Product of ancient hybridization? 162–173; in *Picradeniopsis* (Compositae), Hybridization and 40–56; of amentiferous fruits, Patterns in the 371–384
Fagaceae: Chemotaxonomy of 387; Palynology of 341
FAY, JOHN J., New species of Mexican Asteraceae. 192–199
Fifth Congress of the MEXICAN BOTANICAL SOCIETY 209, 313
First International Congress of Systematic and Evolutionary Biology 74
First Latin American Botanical Congress 209, 313
The fleshy-fruited Galiums (Rubiaceae) of Mexico and Central America, by LAURAMAY T. DEMPSTER 15–20
Flora North America program, The information system design for the 119–134
Fossil forms of the Amentiferae, by JACK A. WOLFE 334–355
FRYXELL, PAUL A., New species and other notes in the Malvaceae 77–85
Galiums (Rubiaceae) of Mexico and Central America, The fleshy-fruited 15–20
Garryaceae: Chemotaxonomy of 391; Vegetative anatomy and morphology of 361
Generic delimitations of Central American Bignoniaceae, by ALWYN H. GENTRY 226–242
Generic segregates of *Phrygilanthus* (= *Notanthera*) of the Loranthaceae, The classification of the 26–39
Genetic relationships between *Bidens forbesii* and six species in the Hawaiian and the Marquesas Islands, by GEORGE W. GILLETT 10–14
GENTRY, ALWYN H., Generic delimitations of Central American Bignoniaceae. 226–242
The genus *Hymenoclea* (Compositae: Ambrosieae), by KATHLEEN M. PETERSON and WILLARD W. PAYNE 243–256
GILLETT, GEORGE W., Genetic relationships between *Bidens forbesii* and six species in the Hawaiian and the Marquesas Islands. 10–14
Greenman Award, The Seventh Annual—Notice 405
HALE, MASON E., JR., See: CULBERSON, CHICITA F. and MASON E. HALE, JR.
Hamamelidaceae, Chemotaxonomy of 389
Hamamelidae as an artificial group: A summary statement, The "Amentiferae" or 395–405
Hamamelididae, Foliar morphology of 345 ff.
*Harpalyce* (Leguminosae: Brongniartieae) from

south-central Brazil with a key to the Brazilian species, New endemic species of 21–25, **parvifolia** 21, **robusta** 23
Hawaiian and the Marquesas Islands, Genetic relationships between *Bidens forbesii* and six species in the 10–14
HECKARD, L. R., See: CHUANG, T. I. and L. R. HECKARD
Herbarium practice and ethics, II, Report of the Committee for recommendations in desirable procedures in 307–310
HERBST, DERRAL, See: BISHOP, L. EARL and DERRAL HERBST
*Herissantia* **dressleri** 77
HESPENHEIDE, HENRY A., A revision of the West Indian species of *Lepanthes* (Orchidaceae). III. Cuba. 257–283
*Hibiscadelphus* (Malvaceae) from Kauai, A new 290–293, **distans** 290
*Hibiscus* **longifilus** 78, **wilsonii** 80
Himalayas of Nepal, *Acronema* **johrianum** Babu (Apiaceae): A new species from the 159–161
Hippocastanaceae: Chromatographic studies on the Red Horse-chestnut (*Aesculus* × *carnea*) and its putative parent species 57–63
HUNT INSTITUTE FOR BOTANICAL DOCUMENTATION, Notice concerning archival materials at 312–313
HSIAO, JU-YING and HUI-LIN LI, Chromatographic studies on the Red Horse-chestnut (*Aesculus* × *carnea*) and its putative parent species. 57–63
Hybridization and evolution in *Picradeniopsis* (Compositae), by TOD F. STUESSY, ROBERT S. IRVING, and WILLIAM L. ELLISON 40–56
Hybridization?, Chemical and morphological evolution in *Parmelia* sect. *Hypotrachyna*: Product of ancient 162–173
Hybrids (Liliaceae), Biosystematics of *Aletris lutea* Small, *Aletris obovata* Nash and natural 294–303
*Hymenoclea* (Compositae: Ambrosieae), The genus 243–256, *salsola* var. **fasciculata** 255
The information system design for the Flora North America program, by HARRIET MEADOW KRAUSS 119–134
INTERNATIONAL UNION OF FOREST RESEARCH ORGANIZATIONS 76
*Iostephane* **papposa** 192
Instructions to contributors 1
IRVING, ROBERT S., See: STUESSY, TOD F., ROBERT S. IRVING, and WILLIAM L. ELLISON
IRWIN, H. S. and MARY T. KALIN ARROYO, New endemic species of *Harpalyce* (Leguminosae: Brongniartieae) from south-central Brazil with a key to the Brazilian species. 21–25
JONES, SAMUEL B., JR., Revision of *Vernonia* sect. *Eremosis* (Compositae) in North America. 86–115
Juglandaceae: Chemotaxonomy of 387; *Engelhardia* vs. *Engelhardtia* 379 (footnote); Palynology of 339
Julianiaceae: Vegetative anatomy and morphology of 363
*Juniperus deppeana* var. *sperryi* Correll, Re-evaluation of the biological status of 284–289, *deppeana* forma **sperryi** 289
Kauai, A new *Hibiscadelphus* from 290–293
KEATING, RICHARD C., See: D'ARCY, WILLIAM G. and RICHARD C. KEATING
Keys to: *Cordia* sect. *Gerascanthus* (Boraginaceae), northern South American species 176; *Cordylanthus* subgen. *Hemistegia* (Scrophulariaceae), species 144; *Harpalyce* (Leguminosae), Brazilian species 25; *Hibiscadelphus* (Malvaceae), species 292–293; *Hymenoclea* (Compositae), taxa 253; *Lepanthes* (Orchidaceae), Cuban species 258–260; Loranthaceae, American genera 33–34; *Sagittaria* (Alismataceae), nonsagittate-leaved species of eastern United States 73; *Vernonia* sect. *Eremosis* (Compositae), North American taxa 92–93
KRAUSS, HARRIET MEADOW, The information system design for the Flora North America program. 119–134
Latin American Botany, First Congress 209, 313
Leguminosae: New endemic species of *Harpalyce* from south-central Brazil with a key to the Brazilian species 21–25
*Lepanthes* (Orchidaceae). III. Cuba, A revision of the West Indian species of 257–283, **acunae** 263, **blepharophylla** 260, **cubensis** 269, **dressleri** 268, **grisebachiana** 272, **obliquiloba** 273, **occidentalis** 276
LEWIS, WALTER H., A new species of *Byrsonima* (Malpighiaceae) from Panama 304–306
LI, HUI-LIN, See: HSIAO, JU-YING and HUI-LIN LI
Lichens: Chemical and morphological evolution in *Parmelia* sect. *Hypotrachyma*: Product of ancient hybridization? 162–173
Liliaceae: Biosystematics of *Aletris lutea* Small, *Aletris obovata* Nash, and natural hybrids 294–303
Limnanthaceae: A taximetric study of infraspecific variation in autogamous *Limnanthes floccosa* 177–191
*Limnanthes floccosa* (Limnanthaceae), A taximetric study of infraspecific variation in autogamous 177–191, *floccosa* subsp. **bellingeriana** 187, subsp. **californica** 187, subsp. **grandiflora** 188, subsp. **pumila** 187
**Lithophytoideae** (Verbenaceae) 224
*Lithophytum*: A transfer from Solanaceae to Verbenaceae, The affinities of 213–225
Loranthaceae, The classification of the generic segregates of *Phrygilanthus* (= *Notanthera*) of the 26–39
*Macfadyena* **unguis-cati** 236
Malpighiaceae: A new species of *Byrsonima* from Panama 304–306
Malvaceae: A new *Hibiscadelphus* from Kauai 290–293; New species and other notes in the 77–85
Marquesas Islands, Genetic relationships between *Bidens forbesii* and six species in the Hawaiian and the 10–14
MCGILL, L. A., See: PINKAVA, D. J., M. G. MCLEOD, L. A. MCGILL, and R. C. BROWN
MCLEOD, M. G., See: PINKAVA, D. J., M. G. MCLEOD, L. A. MCGILL, and R. C. BROWN
MEARS, JAMES A., Chemical constituents and systematics of Amentiferae. 385–394
*Melloa* **quadrivalvis** 237
Mexican: Asteraceae, New species of 192–

199; Botanical Society, Fifth Congress 209, 313; Plants, Notice for collectors of 311
Mexico: and Central America, The fleshy-fruited Galiums (Rubiaceae) of 15–20; **Correllia** (Compositae: Peritylinae): A new monotypic genus from southern Chihuahua 116–118
Moraceae: Chemotaxonomy of 389
Morphological evolution in *Parmelia* sect. *Hypotrachyna*: Product of ancient hybridization?, Chemical and 162–173
Morphology: and anatomy of *Lithophytum* (Verbenaceae) 213–225; Foliar, of fossil forms of Amentiferae 345 ff.; of Amentiferae, Vegetative anatomy and 356–370
MOSELEY, MAYNARD F., JR., Vegetative anatomy and morphology of Amentiferae. 356–370
Mycological nomenclature—Notice 210
Myricaceae: Chemotaxonomy of 388; Vegetative anatomy and morphology of 363
Nepal, *Acronema* **johrianum** Babu (Apiaceae): A new species from the Himalayas of 159–161
A new *Hibiscadelphus* (Malvaceae) from Kauai, by L. EARL BISHOP and DERRAL HERBST 290–293
New endemic species of *Harpalyce* (Leguminosae: Brongniarteae) from south-central Brazil with a key to the Brazilian species, by H. S. IRWIN and MARY T. KALIN ARROYO 21–25
New species and other notes in the Malvaceae, by PAUL A. FRYXELL 77–85
A new species of *Byrsonima* (Malpighiaceae) from Panama, by WALTER H. LEWIS 304–306
New species of Mexican Asteraceae, by JOHN J. FAY 192–199
A new Venezuelan species of *Cordia* sect. *Gerascanthus* (Boraginaceae), by GETULIO AGOSTINI 174–176
North America:—II, Chromosome numbers in some cacti of western 2–9; Revision of *Vernonia* sect. *Eremosis* (Compositae) in 86–115; Taxonomy of seven species of *Sagittaria* from 64–74
Note on the type of *Rubia acuminata* Mart. & Galeotti, by LAURAMAY T. DEMPSTER 313
Notice: AMERICAN FERN SOCIETY foray in Wyoming and Colorado 209; concerning archival materials at the HUNT INSTITUTE FOR BOTANICAL DOCUMENTATION 312–313; Contributed papers for the First International Congress of Systematic and Evolutionary Biology 74; Correction to *Aquatic and Wetland Plants of Southwestern United States*, by D. S. and H. B. CORRELL 76; First Latin American Botanical Congress and Fifth Congress of the MEXICAN BOTANICAL SOCIETY 209, 313; for collectors of Mexican plants 311; INTERNATIONAL UNION OF FOREST RESEARCH ORGANIZATIONS 76; Mycological nomenclature 210; New Section for American Systematic Collections (SASC) 212; the Seventh Annual Jesse M. Greenman Award 405; Symposium, The Bases of Angiosperm Phylogeny 211; Twelfth International Botanical Congress, June 23–30, 1975 75
Orchidaceae: A revision of the West Indian species of *Lepanthes*. III. Cuba 257–283
*Pachyptera* **alliacea** 236, **hymenaea** 236, *kerere* var. **incarnata** 235, **standleyi** 236
Palaeobotany, See: Fossil
Palynology: of Amentiferae 336 ff.; of *Lithophytum* (Verbenaceae) 213–225; of *Vernonia* sect. *Eremosis* (Compositae) 86–115
Panama, A new species of *Brysonima* (Malpighiaceae) from 304–306
*Parmelia* sect. *Hypotrachyna*: Product of ancient hybridization?, Chemical and morphological evolution in 162–173
Patterns in the evolution of amentiferous fruits, by DONALD E. STONE 371–384
*Pavonia* **gentryi** 81
PAYNE, WILLARD W., See: PETERSON, KATHLEEN M. and WILLARD W. PAYNE
PETERSON, KATHLEEN M. and WILLARD W. PAYNE, The genus *Hymenoclea* (Compositae: Ambrosieae). 243–256
*Phrygilanthus* (= *Notanthera*) of the Loranthaceae, The classification of the generic segregates of 26–39
*Picradeniopsis* (Compositae), Hybridization and evolution in 40–56
PINKAVA, D. J., M. G. MCLEOD, L. A. MCGILL, and R. C. BROWN, Chromosome numbers in some cacti of western North America—II. 2–9
Platanaceae, Chemotaxonomy of 389
Pollen (See also: Palynology): fossil, of Amentiferae 336 ff.
POWELL, A. MICHAEL, **Correllia** (Compositae: Peritylinae): A new monotypic genus from southern Chihuahua, Mexico. 116–118
**Pseudocatalpa** 241, **caudiculata** 241
*Psittacanthus* **palmeri** 30
Red Horse-chestnut (*Aesculus* × *carnea*) and its putative parent species, Chromatographic studies on the 57–63
Reevaluation of the biological status of *Juniperus deppeana* var. *sperryi* Correll, by ROBERT P. ADAMS 284–289
Report of the Committee for Recommendations in Desirable Procedures in Herbarium Practice and Ethics, II. 307–310
A revision of the West Indian species of *Lepanthes* (Orchidaceae). III. Cuba, by HENRY A. HESPENHEIDE 257–283
Revision of *Vernonia* sect. *Eremosis* (Compositae) in North America, by SAMUEL B. JONES, JR. 86–115
*Rubia acuminata* Mart. & Galeotti, Note on the type of 313
Rubiaceae: The fleshy-fruited Galiums of Mexico and Central America 15–20; Note on the type of *Rubia acuminata* Mart. & Galeotti 313
*Sabazia* **trifida** 197
*Sagittaria* from eastern North America, Taxonomy of seven species of 64–74
Salicaceae, Chemotaxonomy of 388
Scrophulariaceae: Taxonomy of *Cordylanthus* subgen. *Hemistegia* 135–158
Section for American Systematic Collections (SASC) of A.S.P.T.—Notice 212
The Seventh Annual Jesse M. Greenman Award—Notice 405

SMITH, EDWIN B., A biosystematic study of *Coreopsis saxicola* (Compositae) 200–208
Solanaceae to Verbenaceae, The affinities of *Lithophytum*: A transfer from 213–225
STERN, WILLIAM LOUIS, Development of the amentiferous concept. 316–333
STONE, DONALD E., Patterns in the evolution of amentiferous fruits. 371–384
*Struthanthus* **panamensis** 30
STUESSY, TOD F., ROBERT S. IRVING, and WILLIAM L. ELLISON, Hybridization and evolution in *Picradeniopsis* (Compositae). 40–56
SULLIVAN, VICTORIA I., Biosystematics of *Aletris lutea* Small, *Aletris obovata* Nash, and natural hybrids (Liliaceae). 294–303
Symposium: The Bases of Angiosperm Phylogeny 211; What Happened to the Amentiferae? 315
Systematic disposition of families of Amentiferae, Summary statement 403–404
Systematics of Amentiferae, Chemical constituents and 385–394
A taximetric study of infraspecific variation in autogamous *Limnanthes floccosa* (Limnanthaceae), by MARY T. KALIN ARROYO 177–191
Taxonomy of *Cordylanthus* subgen. *Hemistegia* (Scrophulariaceae), by T. I. CHUANG and L. R. HECKARD 135–158
Taxonomy of seven species of *Sagittaria* from eastern North America, by JEAN W. WOOTEN 64–74
THORNE, ROBERT F., The "Amentiferae" or Hamamelidae as an artificial group: A summary statement. 395–405
*Tristerix* **aphyllus** 31, **grandiflorus** 31
Twelfth International Botanical Congress, June 23–30, 1975 75
Ulmaceae: Chemotaxonomy of 390; Vegetative anatomy and morphology of 363
Umbelliferae, See: Apiaceae
Vegetative anatomy and morphology of Amentiferae, by MAYNARD F. MOSELEY, JR. 356–370
Venezuelan species of *Cordia* sect. *Gerascanthus* (Boraginaceae), A new 174–176
Verbenaceae, The affinities of *Lithophytum*: A transfer from Solanaceae to 213–225; **Lithophytoideae** 224
*Verbesina* **costata** 192, **sousae** 195
*Vernonia* sect. *Eremosis* (Compositae) in North America, Revision of 86–115, **baadii** 113, **duncanii** 108, **duncanii** ssp. **bartlettii** 110, **macvaughii** 105, *obtusa* ssp. **parkeri** 108, *trifloscculosa* ssp. **palmeri** 100
West Indian species of *Lepanthes* (Orchidaceae). III. Cuba, A revision of the 257–283
What Happened to the Amentiferae?—A symposium 315
WIENS, D., See: BARLOW, B. A. and D. WIENS
WOLFE, JACK A., Fossil forms of the Amentiferae. 334–355
WOOTEN, JEAN W., Taxonomy of seven species of *Sagittaria* from eastern North America. 64–74